

MATERIAL SAFETY DATA SHEET***** IDENTIFICATION *****

PRODUCT : NON-STERILE, AMBIDEXTROUS,
SINGLE USE, POWDER FREE, POLYMER
COATED, NATURAL LATEX EXAM GLOVES

MANUFACTURED BY : WEAR SAFE (MALAYSIA) SDN. BHD,
LOT 13726, JALAN HAJI SALLEH,
BATU 5 1/4, OFF JALAN MERU,
41050 KLANG, SELANGOR DARUL EHSAN
MALAYSIA.

FDA - REGISTRATION NO. : 3006552561

FDA - 510(K)
NOTIFICATION NO. : K092492

FDA - DEVICE LISTING
NO. : D084357

CAS NO. : NOT ESTABLISHED.

IATA/ICAO HAZARD
RATING : NOT RESTRICTED.

D.O.T RATING : NOT RESTRICTED.

***** PHYSICAL DATA *****

COMPOSITION OF GLOVES	PERCENTAGE
NATURAL RUBBER LATEX	≥ 80
SULPHUR POWDER	< 2.0
ZINC OXIDE POWDER	< 1.5
ACCELERATOR	< 1.0
KOH SOLUTION	< 0.1
TITANIUM DIOXIDE POWDER	< 1.0
ANTIOXIDANT/ANTI-OZONANT	< 2.0
DISPERSING AGENT	< 0.5

* Gloves are online polymer coated on donning surface to facilitate easy donning.

***** FIRE AND EXPLOSION *****

STABILITY : STABLE
FLASH POINT : N.A.
EXTINGUISHING MEDIA : FOAM, CARBON DIOXIDE AND WATER
CONDITION TO AVOID : NONE
INCOMPATIBLE MATERIAL : NONE

***** NORMAL CONDITION *****

VENTILATION : NOT NECESSARY UNDER NORMAL CONDITIONS.
EQUIPMENT : NOT NECESSARY.
SPILLS CLEAN-UP : N.A.

***** EXPOSURE DATA *****

EYES : N.A.
SKIN : THIS GLOVES SHOULD NOT BE WORN BY PEOPLE WHO ARE ALLERGIC TO NATURAL RUBBER LATEX, NOR SHOULD IT COME INTO CONTACT WITH PATIENT WHO IS SENSITIVE TO LATEX. DISCONTINUE THE USE OF THIS GLOVE IF SYMPTOMS OF LATEX SENSITIVITY OCCUR. SYMPTOMS INCLUDE RASHES, ITCHING, SENSATION OF BURNING, APPEARANCE OF BRUISING, BREATHING DIFFICULTIES OR DIZZINESS.
STORAGE : KEEP AWAY FROM SUNLIGHT, HEAT AND PETROLEUM PRODUCTS. STORE AT ROOM TEMPERATURE, 10 - 40°C.


**DISPOSAL
CONSIDERATION**

- : a) PRODUCT:
- DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS
- : b) PACKAGING:
- CONTAMINATED PACKAGING MUST BE DISPOSED OF IN THE SAME MANNER AS THE PRODUCT.
 - NON-CONTAMINATED PACKAGING MAY BE RECYCLED. CONTACT YOUR LOCAL SERVICE PROVIDERS FOR MORE INFORMATION.

Prepared by:


(QA Manager)

Approved by:


(Asst. General Manager)